




Elevation

SCALE: NTS



- A**----- Ceiling mounted painted **cornice**, 12"H x 8" returns, extend past window jamb 16" on each side. Finish: (to match SW 7018 / Dovetail). Provided & installed by GC.
- B**----- Pinch pleat stationary **side panels**, 200% fullness, 18" wide rod, mounted to cornice dustcap, to extend to 1/2" AFF, 4" returns to wall, 4" buckram, 4" double turned bottom hem, 1.5" double turned side hems. Face fabric: Vera Colors FR / Anchor Lining fabric: No lining required
- C**----- **Blackout** roller shade, outside mounted, with open roll wall brackets, and fabric wrapped hem bar (3" past window jamb on each side & extends to top of PTAC unit). Upper limit to conceal sheer roller shade hardware. Pattern: Vita / Shell
- D**----- **Sheer** roller shade, inside mounted, with open roll wall brackets, and fabric wrapped hem bar. Pattern: Salvador/ Light Brown
- E**----- Manual operation white Newton **Wand Clutch System**. Sheer & BO wands must be installed on the same side.
- F**----- PTAC unit, by others

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(A) GR-400 — Spritz Scheme

HILTON GARDEN INN

Typical Guestroom Window Treatment

Version: 07 Apr 2026


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



- A** ----- Ceiling mounted painted **cornice**, 12"H x 8" returns, extend past window jamb 16" on each side. Finish: (to match SW 7018 / Dovetail). Provided & installed by GC.
- B** ----- Pinch pleat stationary **side panels**, 200% fullness, 18" wide rod, mounted to cornice dustcap, to extend to 1/2" AFF, 4" returns to wall, 4" buckram, 4" double turned bottom hem, 1.5" double turned side hems. Face fabric: Vera Colors FR / Anchor Lining fabric: No lining required
- C** ----- **Blackout** roller shade, outside mounted, with open roll wall brackets, and fabric wrapped hem bar (3" past window jamb on each side & extends to top of PTAC unit). Upper limit to conceal sheer roller shade hardware. Pattern: Vita / Shell
- D** ----- **Sheer** roller shade, inside mounted, with open roll wall brackets, and fabric wrapped hem bar. Pattern: Salvador/ Light Brown
- E** ----- Manual operation white **ADA Newton Wand Clutch System**. Sheer & BO wands must be installed on the same side.
- F** ----- PTAC unit, by others

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(A) GR-400 ADA — Spritz Scheme

HILTON GARDEN INN

Accessible Guestroom Window Treatment

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Version: 07 Apr 2026



Elevation

SCALE: NTS



- A** ----- Ceiling mounted painted **cornice**, 12"H x 8" returns, extend past window jamb 16" on each side. Finish: (to match SW 7036 / Accessible Beige). Provided & installed by GC.
- B** ----- Pinch pleat stationary **side panels**, 200% fullness, 18" wide rod, mounted to cornice dustcap, to extend to 1/2" AFF, 4" returns to wall, 4" buckram, 4" double turned bottom hem, 1.5" double turned side hems.
Face fabric: Dusk FR / Indigo
Lining fabric: No lining required
- C** ----- **Blackout** roller shade, outside mounted, with open roll wall brackets, and fabric wrapped hem bar (3" past window jamb on each side & extends to top of PTAC unit). Upper limit to conceal sheer roller shade hardware.
Pattern: Vita / Dust
- D** ----- **Sheer** roller shade, inside mounted, with open roll wall brackets, and fabric wrapped hem bar.
Pattern: Salvador/ Light Brown
- E** ----- Manual operation white Newton **Wand Clutch System**. Sheer & BO wands must be installed on the same side.
- F** ----- PTAC unit, by others

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(B) GR-400 — Splash Scheme


HILTON GARDEN INN

Typical Guestroom Window Treatment

Version: 07 Apr 2026


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(B) GR-400 ADA — Splash Scheme

HILTON GARDEN INN

Accessible Guestroom Window Treatment

Version: 07 Apr 2026


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(A) PA-400 — Spritz Scheme

HILTON GARDEN INN

Corridor Window Treatment

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


Version: 25 Sep 2025



**Depicts Lobby*

Elevation

SCALE: NTS



Sheer roller shade, ceiling mounted in pocket, with fabric wrapped hem bar. Pattern: SW7850 / Dove

Manual operation with continuous beaded **pull chain** & **chainhold** tension device.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(A) PA-401 — Spritz Scheme

HILTON GARDEN INN

Lobby / Fitness Room Sheer Window Treatment

Version: 25 Sep 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



**Depicts Lobby*

Elevation

SCALE: NTS



Sheer roller shade, ceiling mounted in pocket, with fabric wrapped hem bar. Pattern: SW7850 / Dove

Manual operation with continuous beaded **pull chain** & **chainhold** tension device.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(A) PA-401 — Spritz Scheme

HILTON GARDEN INN

Lobby / Fitness Room Sheer Window Treatment

Version: 25 Sep 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



**Depicts Fitness Room*

Elevation

SCALE: NTS



Sheer roller shade, ceiling mounted in pocket, with fabric wrapped hem bar. Pattern: SW7850 / Dove

Manual operation with continuous beaded **pull chain** & **chainhold** tension device.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(A) PA-401 — Spritz Scheme

HILTON GARDEN INN

Lobby / Fitness Room Sheer Window Treatment


Version: 25 Sep 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation
SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(A) PA-402 — Spritz Scheme

HILTON GARDEN INN

Meeting Room Blackout Window Treatment


Version: 25 Sep 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation
SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(A) PA-403 — Spritz Scheme

HILTON GARDEN INN

Break Room / Office Window Treatment

Version: 25 Sep 2025


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section

A Painted **cornice**.
Finish: Sherwin Williams Felted Wool SW 9171

B **Sheer** roller shade, inside mounted,
with fabric wrapped hem bar.
Pattern: Salvador/ Light Brown

C Manual operation with continuous
beaded **pull chain & chainhold**
tension device.



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(B) PA-400 — Splash Scheme

HILTON GARDEN INN

Corridor Window Treatment

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


Version: 25 Sep 2025



**Depicts Lobby*

Elevation

SCALE: NTS



A Sheer roller shade, ceiling mounted in pocket, with fabric wrapped hem bar. Pattern: Reign / Sandstone

B Manual operation with continuous beaded **pull chain** & **chainhold** tension device.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(B) PA-401 — Splash Scheme

HILTON GARDEN INN

Lobby / Fitness Room Sheer Window Treatment

Version: 25 Sep 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



**Depicts Lobby*

Elevation

SCALE: NTS



A

Sheer roller shade, ceiling mounted in pocket, with fabric wrapped hem bar. Pattern: Reign / Sandstone

B

Manual operation with continuous beaded **pull chain** & **chainhold** tension device.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(B) PA-401 — Splash Scheme

HILTON GARDEN INN

Lobby / Fitness Room Sheer Window Treatment

Version: 25 Sep 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



**Depicts Fitness Room*

Elevation

SCALE: NTS



Sheer roller shade, ceiling mounted in pocket, with fabric wrapped hem bar. Pattern: Reign / Sandstone

Manual operation with continuous beaded **pull chain** & **chainhold** tension device.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(B) PA-401 — Splash Scheme

HILTON GARDEN INN

Lobby / Fitness Room Sheer Window Treatment

Version: 25 Sep 2025


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(B) PA-402 — Splash Scheme

HILTON GARDEN INN

Meeting Room Blackout Window Treatment


Version: 25 Sep 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation
SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(B) PA-403 — Splash Scheme

HILTON GARDEN INN

Break Room / Office Window Treatment

Version: 25 Sep 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.