




Elevation
SCALE: NTS




Plan




Section

- A**----- Aluminum **Fascia** – White Finish
- B**----- Single Manual **Blackout** Roller Shades, with width to fit within window at 74" (Height = VIF), inside ceiling mounted. Fabric wrapped hem bar.
- C**----- Single Manual **Sheer** Roller Shade, outside wall mounted above window, with overall width at 79" (Height = VIF), to extend 1.5" past the window on each side concealing all metal channels. Mounted in front of blackout shade closest to room. Fabric wrapped hem bar.
- D**----- 40 Inch White Standard Newton **Wand** Clutch System.
- E**----- Window & Frame, by others
- F**----- Side and Sill **L Channel**, White. Mounted Up Against Window at the Rear of the Window Pocket.









Printed Sheer:
10,000 3% / Midnight



Black Out:
VERSA / 1469
Pearl / White

***ALL DIMENSIONS TO BE VIF (VERIFIED IN FIELD).**




- 1** Fabric Tube
- 2** Standard Newton Wand Clutch System
- 3** Bracket
- 4** End Caps
- 5** Facias Clip
- 6** Side and Sill L Channel, White. Mounted Up Against Window at the Rear of the Window Pocket
- 7** Fascia @ Sheer and Blackout Shade




Elevation
SCALE: NTS



Section



- A----- Aluminum **Fascia** – White Finish
- B----- Single Manual **Blackout** Roller Shades, with width to fit within window at 74" (Height = VIF), inside ceiling mounted. Fabric wrapped hem bar.
- C----- Single Manual **Sheer** Roller Shade, outside wall mounted above window, with overall width at 79" (Height = VIF), to extend 1.5" past the window on each side concealing all metal channels. Mounted in front of blackout shade closest to room. Fabric wrapped hem bar.
- D----- 40 Inch White Standard Newton **Wand** Clutch System.
- E----- Window & Frame, by others
- F----- Side and Sill **L Channel**, White. Mounted Up Against Window at the Rear of the Window Pocket.




Printed Sheer:
10,000 3% / Regal

Black Out:
VERSA / 1469
Pearl / White


***ALL DIMENSIONS TO BE VIF (VERIFIED IN FIELD).**

Plan




1 Fabric Tube


2 Standard Newton Wand Clutch System



3 Bracket




4 End Caps




5 Facias Clip



6 Side and Sill L Channel, White. Mounted Up Against Window at the Rear of the Window Pocket



L Angle



7 Fascia @ Sheer and Blackout Shade




Elevation
SCALE: NTS



Section

Plan




- A**----- Aluminum **Fascia** – White Finish
- B**----- Single Manual **Blackout** Roller Shades, with width to fit within window at 74" (Height = VIF), inside ceiling mounted. Fabric wrapped hem bar.
- C**----- Single Manual **Sheer** Roller Shade, outside wall mounted above window, with overall width at 79" (Height = VIF), to extend 1.5" past the window on each side concealing all metal channels. Mounted in front of blackout shade closest to room. Fabric wrapped hem bar.
- D**----- 50 Inch White **ADA** Newton **Wand** Clutch System. Bottom of clutch system to finish no more than 48" AFF.
- E**----- Window & Frame, by others
- F**----- Side and Sill **L Channel**, White. Mounted Up Against Window at the Rear of the Window Pocket.



Printed Sheer:
10,000 3% / Midnight


Black Out:
VERSA / 1469
Pearl / White

***ALL DIMENSIONS TO BE VIF (VERIFIED IN FIELD).**




1 Fabric Tube


2 **ADA** Standard Newton Wand Clutch System




3 Bracket




4 End Caps



5 Facias Clip



6 Side and Sill L Channel, White. Mounted Up Against Window at the Rear of the Window Pocket




7 Fascia @ Sheer and Blackout Shade



Elevation
SCALE: NTS




Plan



Section

- A**----- Aluminum **Fascia** – White Finish
- B**----- Single Manual **Blackout** Roller Shades, with width to fit within window at 74" (Height = VIF), inside ceiling mounted. Fabric wrapped hem bar.
- C**----- Single Manual **Sheer** Roller Shade, outside wall mounted above window, with overall width at 79" (Height = VIF), to extend 1.5" past the window on each side concealing all metal channels. Mounted in front of blackout shade closest to room. Fabric wrapped hem bar.
- D**----- 50 Inch White **ADA** Newton **Wand** Clutch System. Bottom of clutch system to finish no more than 48" AFF.
- E**----- Window & Frame, by others
- F**----- Side and Sill **L Channel**, White. Mounted Up Against Window at the Rear of the Window Pocket.



Printed Sheer:
10,000 3% / Regal

Black Out:
VERSA / 1469
Pearl / White

***ALL DIMENSIONS TO BE VIF (VERIFIED IN FIELD).**

GR-401 (B) — Dynamic Scheme


HOME 2 SUITES

Roller Shades @ ADA Guestroom (Newton Option)

Version: 19 May 2026


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.




1 Fabric Tube


2 **ADA** Standard Newton Wand Clutch System




3 Bracket




4 End Caps



5 Facias Clip



6 Side and Sill L Channel, White. Mounted Up Against Window at the Rear of the Window Pocket




7 Fascia @ Sheer and Blackout Shade



Elevation

SCALE: NTS



Section

Manual **sheer** roller shade, outside mounted, with weighted fabric hem bar. Pattern: RS Fury Dark Gray

Beaded **chain** operation & **chainhold tension device**.

Window & Frame, by others

Fabric to meet NFPA 701 FR Standards. Roller Shade Lift System to comply with ANSI WCMA A100.1, Section 2515.03 safety standards.



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA-400 — Vibrant Scheme

HOME 2 SUITES

Public Area Window Treatments - Lobby & Fitness Room

Version: 16 Apr 2025


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA-401 — Vibrant Scheme

HOME 2 SUITES

Public Area Window Treatments - Breakroom & Fitness Room (Framed Windows)

Version: 16 Apr 2025


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA-402 — Vibrant Scheme

HOME 2 SUITES

Public Area Window Treatments - Sales Office, Meeting Room, Board Room

Version: 16 Apr 2025


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Manual **sheer** roller shade, outside mounted, with weighted fabric hem bar. Pattern: RS Salvador /White

Beaded **chain** operation & **chainhold** tension device.

Window & Frame, by others

Fabric to meet NFPA 701 FR Standards. Roller Shade Lift System to comply with ANSI WCMA A100.1, Section 2515.03 safety standards.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA-400 — Dynamic Scheme


HOME 2 SUITES

Public Area Window Treatments - Lobby & Fitness Room

Version: 16 Apr 2025


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



- A**----- 4" high continuous aluminum **fascia**, black finish
 - B**----- Manual **sheer** roller shade, outside mounted, with weighted fabric hem bar. Pattern: RS Salvador /White
 - C**----- Beaded **chain** operation & **chainhold** tension device.
 - D**----- Window & Frame, by others
- Fabric to meet NFPA 701 FR Standards. Roller Shade Lift System to comply with ANSI WCMA A100.1, Section 2515.03 safety standards.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA-401 — Dynamic Scheme

HOME 2 SUITES

Public Area Window Treatments - Breakroom & Fitness Room (Framed Windows)

Version: 16 Apr 2025


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA-402 — Dynamic Scheme

HOME 2 SUITES

Public Area Window Treatments - Sales Office, Meeting Room, Board Room


Version: 16 Apr 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation Top: Shades down. Bottom: Left shade up.
SCALE: NTS



- A**..... Aluminum **fascia** (16'-3 3/4"L x 6.103"W x 5.91"H), Color: White
- B**..... Motorized **blackout roller shade** (hardwired), ceiling mounted, reverse roll, with 2" external hembar with brush pile, to hold at 18"H in open position.
Pattern: Cross Squares /Berlin
- C**..... Motor **switch** (single momentary contact rocker to control both shades). Switch provided & installed by E.C. Mounting height & location to be determined by G.C.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA-403

HOME 2 SUITES

Public Area - Breakfast Shade Treatments


Version: 07 May 2026

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation
SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(A) PA-404 — Vibrant Scheme RENO Only
HOME 2 SUITES
Public Area - Juice/Yogurt Machine Shade Treatments


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Version: 12 Jun 2026



Elevation
SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(B) PA-404 — Dynamic Scheme RENO Only

HOME 2 SUITES

Public Area - Juice/Yogurt Machine Shade Treatments

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


Version: 29 July 2026



Elevation shows drapes partially open. Section shows drapes in closed/stacked position.

Elevation

SCALE: NTS



Fabric to meet Class 1
ASTM E-84 & NFPA 701
FR Standards.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(A) PA-450 — Vibrant Scheme RENO Only

HOME 2 SUITES

Public Area - Breakfast Drapery Treatments

Version: 16 Apr 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation shows drapes partially open. Section shows drapes in closed/stacked position.

Elevation

SCALE: NTS



Fabric to meet Class 1
ASTM E-84 & NFPA 701
FR Standards.

Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

(B) PA-450 — Dynamic Scheme RENO Only

HOME 2 SUITES

Public Area - Breakfast Drapery Treatments


Version: 16 Apr 2025

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.




Elevation
SCALE: NTS



Section



Elevation
SCALE: NTS



Section