




Elevation

SCALE: NTS



Section



Drapery Sheer:
Dolomite / Star




Drapery Blackout:
Lattice / Anchor

GR-400 (Matcha & Merlot Schemes)


LIVSMART STUDIOS by Hilton
Window Treatment @ Guest Studio

Version: 02 Sep 2026



Elevation

SCALE: NTS



Section

- A** Cornice, by others.
- B** Ceiling-mounted **hardware**, installed as close as possible to side wall and ½" from side of cornice. Finish: White
 - If ceiling height exceeds 96", cornice to be wall-mounted and drapery hardware to be attached to dustcap.
- C** Traversing **sheer drapery** (window side), double pleat, 150% fullness, one-way draw, with 1.5" double side hem and hanky hem with chain weight, and to extend ½" above PTAC.
- D** ½" clear, front-mounted **ADA batons** with loop, max 48" AFF.
- E** Traversing **blackout drapery** (room side), double pleat, 150% fullness, one-way draw, with 1.5" double side hem and ½" double bottom hem, 24" stack, and to extend ½" above PTAC.



Drapery Sheer:
Dolomite / Star



Drapery Blackout:
Lattice / Anchor



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

GR-400.ADA.MA (Matcha & Merlot Schemes)


LIVSMART STUDIOS by Hilton

Window Treatment @ Accessible Guest Studio - Manual

Version: 02 Sep 2026


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section

- A** Cornice, by others.
- B** Ceiling-mounted **hardware**, installed as close as possible to side wall and ½" from side of cornice. Finish: White
 - If ceiling height exceeds 96", cornice to be wall-mounted and drapery hardware to be attached to dustcap.
- C** Hardwired motorized traversing **sheer drapery** (window side), double pleat, 150% fullness, one-way draw, with 1.5" double side hem and hanky hem with chain weight, and to extend ½" above PTAC.
- D** In-wall, paddle **switch** provided by Threadwell but installed by others. Mounting height & location to be in accordance with local codes & regulations.
- E** Hardwired motorized traversing **blackout drapery** (room side), double pleat, 150% fullness, one-way draw, with 1.5" double side hem and ½" double bottom hem, 24" stack, and to extend ½" above PTAC.



Drapery Sheer:
Dolomite / Star



Drapery Blackout:
Lattice / Anchor



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

GR-400.ADA.MO (Matcha & Merlot Schemes)

LIVSMART STUDIOS by Hilton

Window Treatment @ Accessible Guest Studio - Motorized

Version: 02 Sep 2026


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section

A 3.75" metal **fascia**. Finish: Matte Black.

B **Sheer roller shade**, inside mount if conditions allow (otherwise, outside mount above window frame), standard roll, with heat-sealed hem bar.



Roller Shade Sheer:
S Screen Naturals 5% /
Pyrenees

C Manual operation continuous, beaded, nickel-plated **pull chain** & clear **chain retainer**.



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA-400 (Matcha & Merlot Schemes)

LIVSMART STUDIOS by Hilton

Roller Shade @ Public Areas

Version: 02 Sep 2026


PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section


A 3.75" metal **fascia**. Finish: Matte Black.

B **Blackout roller shade** (window side), inside mount if conditions allow (otherwise, outside mount above window frame), standard roll, with heat-sealed hem bar.



Roller Shade Blackout:
SW7800 UB0 Blanco

C **Sheer roller shade** (room side), inside mount if conditions allow (otherwise, outside mount above window frame), standard roll, with heat-sealed hem bar.



Roller Shade Sheer:
S Screen Naturals 5% /
Pyrenees

D Manual operation continuous, beaded, nickel-plated **pull chain** & clear **chain retainer**.



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA-401 (Matcha & Merlot Schemes)

LIVSMART STUDIOS by Hilton

Roller Shade @ Optional Board Room

Version: 02 Sep 2026

PRODUCT DISCLAIMER: Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.