











Elevation  
SCALE: NTS



Section



## Recharge and Rejuvenate Newton Standard Baton System




- 1 Fabric Tube
- 2 Standard Newton Wand Clutch System
- 3 Bracket
- 4 End Caps
- 5 Facias Clip
- 6 Side and Sill L Channel, White. Mounted Up Against Window at the Rear of the Window Pocket
- 7 Fascia @ Sheer and Blackout Shade



## Elevation


SCALE: NTS



## Section



Printed Sheer:  
10,000 - 3%



Black Out:  
VERSA / 1469  
Pearl / White



# THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

## GR-402 (B)

TRU by Hilton







Roller Shade Set @ Guestroom — Rejuvenate Scheme (Newton Option)

Version: 19 May 2026

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

## Recharge and Rejuvenate Newton Standard Baton System



- 1 Fabric Tube
- 2 Standard Newton Wand Clutch System
- 3 Bracket
- 4 End Caps
- 5 Facias Clip
- 6 Side and Sill L Channel, White. Mounted Up Against Window at the Rear of the Window Pocket
- 7 Fascia @ Sheer and Blackout Shade



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

### GR-402 (B)

TRU by Hilton

Roller Shade Set @ Guestroom — Rejuvenate Scheme (Newton Option)

Version: 19 May 2026


**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



## Elevation


SCALE: NTS



## Section



Printed Sheer:  
10,000 - 3%



Black Out:  
VERSA / 1469  
Pearl / White







## GR-403 (A)

TRU by Hilton

Roller Shade Set @ Accessible Guestroom — Recharge Scheme (Newton Option)

Version: 19 May 2026

# Newton ADA Loop Baton System



- 1 Fabric Tube
- 2 ADA Newton Wand Clutch System
- 3 Bracket
- 4 End Caps
- 5 Facias Clip
- 6 Side and Sill L Channel, White. Mounted Up Against Window at the Rear of the Window Pocket
- 7 Fascia @ Sheer and Blackout Shade



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

**GR-403 (A)**

TRU by Hilton

Roller Shade Set @ Accessible Guestroom — Recharge Scheme (Newton Option)

Version: 19 May 2026


**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.




Elevation

SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

## GR-403 (B)

TRU by Hilton







Roller Shade Set @ Accessible Guestroom — Rejuvenate Scheme (Newton Option)

Version: 19 May 2026

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

## Newton ADA Loop Baton System



- 1 Fabric Tube
- 2 **ADA** Newton Wand Clutch System
- 3 Bracket
- 4 End Caps
- 5 Facias Clip
- 6 Side and Sill L Channel, White. Mounted Up Against Window at the Rear of the Window Pocket
- 7 Fascia @ Sheer and Blackout Shade



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

### GR-403 (B)

TRU by Hilton

Roller Shade Set @ Accessible Guestroom — Rejuvenate Scheme (Newton Option)

Version: 19 May 2026


**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

## PA - 400

TRU by Hilton

Public Area Sheer Roller Shade @ Lobby


**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Version: 18 June 2025

# 1 Mecho®/5 Standard Bracket

Maximum roll up diameter:  
2-3/4" (70mm) with or without optional fascia.



2



1

Standard Single Roller  
Shade With Fascia

2

Mecho5 Standard Bracket  
System, Roller, Idle end Plug,  
and Snaploc Spline and Chain  
Tensioner

3

Translucent Chain Tension  
Hold Down for Manual chain-  
driven system compliant with  
ANSI Standard for Child  
Safety

3



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA - 400

TRU by Hilton

Public Area Sheer Roller Shade @ Lobby

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Version: 18 June 2025




## Elevation

SCALE: NTS



## Section



Shade Cloth:  
SERIES 0800 / 0801 WHITE - 0%  
Openness with Custom Print



# THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

## PA - 401

TRU by Hilton


Public Area Roller Shade @ Breakfast Buffet

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Version: 18 June 2025


1



2



3



1

Electro2 Bracket with 5" Fascia

2

Reverse Roll Detail

3

Wiring Details for hardwired Motor with Key Switch Operation

Note: Shade to be controlled by hardwired Key Switch Operation



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA - 401

TRU by Hilton


Public Area Roller Shade @ Breakfast Buffet

Version: 18 June 2025

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

**Multiband ElectroShades® exploded view  
and edge clearances**



1. Wall-Mount Angle
2. Idle-End Bracket
3. Idle-End Tube Plug
4. Tube Plug
5. Snaploc Tube
6. Snaploc Spline Mounting Channel
7. Snaploc Spline
8. Hembar (standard cloth covered)
9. Center Support Bracket (single with Polybond Light Seal)
11. Tube Connector ("dog bone")
12. Exposed Bottom Tube with Light Seal
13. Tubular Motor (A/C)
14. Drive-End Bracket
17. Snaploc Regular Roll Fascia
18. Fascia End Caps (Electro2, Electro3 & Extended only)
19. Motor Lead with Disconnect Plug (power plug)
20. J-Box Lead with Disconnect Plug
21. Optional Plug-in Receptacle
22. Low Voltage Control Systems
23. Cotter Pin to hold motor in place

Note: Shade to be controlled by hardwired Key Switch Operation



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

**PA - 401**

TRU by Hilton

Public Area Roller Shade @ Breakfast Buffet

Version: 18 June 2025


**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

**PA - 402**

TRU by Hilton

Public Area Sheer Roller Shade @ Guest Corridor & Elevator Lobbies


Version: 18 June 2025

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

# 1 Mecho®/5 Standard Bracket

Maximum roll up diameter:  
2-3/4" (70mm) with or without optional fascia.



2



1

Standard Single Roller  
Shade With Fascia

2

Mecho5 Standard Bracket  
System, Roller, Idle End Plug,  
and Chain Tensioner

3

Translucent Chain Tension  
Hold Down for Manual chain-  
driven system compliant with  
ANSI Standard for Child  
Safety

3



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA - 402

TRU by Hilton

Public Area Sheer Roller Shade @ Guest Corridor & Elevator Lobbies

Version: 18 June 2025


**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

**PA - 403**

TRU by Hilton


Public Area Sheer Roller Shade @ Fitness & BOH Areas

Version: 18 June 2025

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Maximum roll up diameter:  
2-3/4" (70mm) with or without optional fascia.



- 1 Standard Single Roller Shade With Fascia
- 2 Mecho5 Standard Bracket System, Roller, Idle End Plug, and Chain Tensioner
- 3 Translucent Chain Tension Hold Down for Manual chain-driven system compliant with ANSI Standard for Child Safety



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

## Public Area Sheer Roller Shade @ Fitness & BOH Areas


Version: 18 June 2025



Shown above: Left shade pulled down. Right shade retracted.

## Elevation

SCALE: NTS



## Section

Shade Cloth:  
SERIES 0800 / 0801 WHITE - 0%  
Openness with Custom Print



# THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

## PA - 404

TRU by Hilton

Public Area End Load Roller Shade @ Breakfast Buffet


**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Version: 18 June 2025



**Multiband ElectroShades® exploded view  
and edge clearances**



1. Wall-Mount Angle
2. Idle-End Bracket
3. Idle-End Tube Plug
4. Tube Plug
5. Snaploc Tube
6. Snaploc Spline Mounting Channel
7. Snaploc Spline
8. Hembar (standard cloth covered)
9. Center Support Bracket (single with Polybond Light Seal)
11. Tube Connector ("dog bone")
12. Exposed Bottom Tube with Light Seal
13. Tubular Motor (A/C)
14. Drive-End Bracket
17. Snaploc Regular Roll Fascia
18. Fascia End Caps (Electro2, Electro3 & Extended only)
19. Motor Lead with Disconnect Plug (power plug)
20. J-Box Lead with Disconnect Plug
21. Optional Plug-in Receptacle
22. Low Voltage Control Systems
23. Cotter Pin to hold motor in place

Note: Shade to be controlled by hardwired  
Key Switch Operation



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

**PA - 404**

TRU by Hilton

Public Area End Load Roller Shade @ Breakfast Buffet

Version: 18 June 2025


**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



Section



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

**PA - 405**

TRU by Hilton

Public Area Exterior Sheer Roller Shade @ Optional Pool

Version: 18 June 2025

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.





Elevation

SCALE: NTS



Section

**A**----- Metal **Fascia** – Grey Finish.


*Wall/Ceiling Mounted Double Roller (pending site condition review)*

**B**----- Manual **Blackout** Roller Shades, 92" x 66", Outside Wall Mounted Above Window and to Overhang Window 2.5" on Each Side Sizes to be VIF, with weighted fabric-wrapped hem bar.

**C**----- Manual **Sheer** Roller Shade, 92" x 66", Outside Wall Mounted Above Window to Overhang Window 2.5" on Each Side, Mounted in Front of Blackout Shade Closest to Room Sizes to be VIF, with weighted fabric-wrapped hem bar.

**D**----- Manual **chain-driven system** compliant with ANSI Standard for Child Safety

**E**----- Window & Frame, by others



Shade Cloth:  
Sheer Fabric: Series  
2100 / Basic Gray 2113  
Basic Grey, 10% Openness



Shade Cloth:  
Black Out Fabric:  
0700 SERIES / 0701  
WHITE



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

**PA - 406**

TRU by Hilton


Public Area Dual Roller Shade @ Collaboration Space Exterior Windows

Version: 18 June 2025


**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

1



2



1

Custom Double Bracket

2

Double Bracket System with Snaploc Spline, Fascia, Top Cover and End Cap

3

Translucent Chain Tension Hold Down for Manual chaindriven system compliant with ANSI Standard for Child Safety


4

Dual Shade System, Wall Mounted that Overhangs the window 2.5" on each side, NO Side and Sill Channel.

3



4



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA - 406


TRU by Hilton

Public Area Dual Roller Shade @ Collaboration Space Exterior Windows

Version: 18 June 2025


**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Elevation

SCALE: NTS



**A**----- Metal **Fascia** – Grey Finish.

**B**----- Single **Roller Shade**. Wall Mounted Above Window, with fabric-wrapped hem bar.



Shade Cloth:  
Blackout Fabric:  
0700 SERIES / 0701  
WHITE

Manual Blackout Roller Shade, Wall Mounted above window & To overhang Window by Min. 2.5" on each side. Grey Fascia Sizes to be VIF ( 86" x 60" )

**C**----- Manual **chain-driven system** compliant with ANSI Standard for Child Safety

**D**----- Window & Frame, by others

Section



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

**PA - 407**

TRU by Hilton

Public Area Blackout Roller Shade @ Collaboration Space Interior Windows


Version: 18 June 2025

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

# 1 Mecho®/5 Standard Bracket

Maximum roll up diameter:  
2-3/4" (70mm) with or without optional fascia.



2



1

Standard Single Roller  
Shade With Fascia

2

Mecho5 Standard Bracket  
System, Roller, Idle End Plug,  
Snaploc Spline, and Chain  
Tensioner

3

Translucent Chain Tension  
Hold Down for Manual chain-  
driven system compliant with  
ANSI Standard for Child  
Safety

3



THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

PA - 407

TRU by Hilton

Public Area Blackout Roller Shade @ Collaboration Space Interior Windows

Version: 18 June 2025

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Shown above: Left shade pulled down. Right shade retracted.

## Elevation

SCALE: NTS



## Section

Shade Cloth:  
SERIES 0800 / 0801 WHITE - 0%  
Openness with Custom Print



# THREADWELL

WOVEN FROM QUILTCRAFT & FABTEX

## PA - 450 RENO

TRU by Hilton


Public Area End Load Roller Shade @ Breakfast Buffet

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Version: 18 June 2025


1



2



3



1

Electro2 Bracket with 5" Fascia

2

Reverse Roll Detail

3

Wiring Details for hardwired Motor with Key Switch Operation

Note: Shade to be controlled by hardwired Key Switch Operation



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

**PA - 450 RENO**

TRU by Hilton


Public Area End Load Roller Shade @ Breakfast Buffet

Version: 18 June 2025

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

**Multiband ElectroShades® exploded view  
and edge clearances**



1. Wall-Mount Angle
2. Idle-End Bracket
3. Idle-End Tube Plug
4. Tube Plug
5. Snaploc Tube
6. Snaploc Spline Mounting Channel
7. Snaploc Spline
8. Hembar (standard cloth covered)
9. Center Support Bracket (single with Polybond Light Seal)
11. Tube Connector ("dog bone")
12. Exposed Bottom Tube with Light Seal
13. Tubular Motor (A/C)
14. Drive-End Bracket
17. Snaploc Regular Roll Fascia
18. Fascia End Caps (Electro2, Electro3 & Extended only)
19. Motor Lead with Disconnect Plug (power plug)
20. J-Box Lead with Disconnect Plug
21. Optional Plug-in Receptacle
22. Low Voltage Control Systems
23. Cotter Pin to hold motor in place

Note: Shade to be controlled by hardwired  
Key Switch Operation



**THREADWELL**

WOVEN FROM QUILTCRAFT & FABTEX

**PA - 450 RENO**

TRU by Hilton

Public Area End Load Roller Shade @ Breakfast Buffet

Version: 18 June 2025

**PRODUCT DISCLAIMER:** Threadwell is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Threadwell. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.